Product Datasheet

60mm ∅ Ultracapacitors – weldable type

- Rated voltage 3VDC
- 3400F capacitance
- Low ESR
- High cycle life of 1 million cycles
- Excellent DC life performance
- Laser-weldable posts
- Very high energy and power density

ELECTRICAL SPECIFICATIONS	
Type	**C60W-3R0-3400**
Rated Voltage V_R	3.00 V
Surge Voltage V_S[1]	3.10 V
Rated Capacitance C[2]	3400 F
Capacitance Tolerance[3]	0% / +20%
ESR[2] (DC)	<0.24 mΩ
ESR[2] (AC, 1 kHz)	<0.21 mΩ
Leakage Current I_L[4]	<12 mA
Self-discharge Rate[5]	<20%
Constant Current (ΔT = 15°C)[6]	141 A
Max Current I_{Max}[7]	2.8 kA
Short Current I_S[8]	12.5 kA
Stored Energy E[9]	4.25 Wh
Energy Density E_d[10]	8.7 Wh/kg
Usable Power Density P_d[11]	9.2 kW/kg
Matched Impedance Power Density P_{dMax}[12], 10 Hz ESR	19.1 kW/kg
Matched Impedance Power Density P_{dMax}[12], 1 kHz ESR	21.9 kW/kg

THERMAL CHARACTERISTICS	
Type	**C60W-3R0-3400**
Working Temperature	-40 ~ 65°C
Storage Temperature[13]	-40 ~ 70°C
Thermal Resistance R_{Th}[14]	3.1 K/W
Thermal Capacitance C_{Th}[15]	565 J/K

LIFETIME CHARACTERISTICS	
Type	**C60W-3R0-3400**
DC Life at High Temperature[16]	1500 hours
DC Life at RT[17]	10 years
Cycle Life[18]	1'000'000 cycles
Shelf Life[19]	4 years

SAFETY & ENVIRONMENTAL SPECIFICATIONS	
Type	**C60W-3R0-3400**
Safety	RoHS, REACH and UL810
Vibration	ISO 16750-3 (Table 12)
Shock	IEC 60068-2-27, 100g 6ms

PHYSICAL PARAMETERS

Type		C60W-3R0-3400
Mass M		490 g
Terminals		Weldable[20]
Dimensions[21]	Height L	138 mm
	Diameter	60 mm

NOTES:

1. Surge voltage V_S: Absolut maximum voltage, non-repetitive. The duration must not exceed 1 second.
2. Capacitance C: The test current is 0.075 A/F, if the calculated current is >100A, then apply 100A.



3. Capacitance tolerance: Typical tolerance is +5%~+10%.
4. Leakage current measurement procedure: 1) Charge the capacitor to the V_R with a constant current (0.075 A/F, if the calculated current is >100A, then apply 100A). 2) Hold the voltage at V_R for 72h. 3) The current to maintain V_R after 72 h is the leakage current.
5. Self-discharge rate measurement procedure: 1) Charge the capacitor to V_R with a constant current (0.075 A/F, if the calculated current >100A, then apply 100A). 2) Hold the voltage at V_R for 3h. 3) Floating for 72h. 4) Measure the voltage after 72 h.
6. Max constant working current: $I_{MCC} = \sqrt{\Delta T/(ESR * R_{Th})}$
7. Max current: $I_{Max} = 0.5C * V_R/(\Delta t + ESR * C)$, discharge from V_R to V_R /2 in 1 second.
8. Short current: $I_S = V_R/ESR$
9. Stored energy: $E = 0.5C * V^2/3600$
10. Energy density: $E_d = E/M$
11. Usable power density: $P_d = (0.12V_R^2/ESR)/M$
12. Matched impedance power density: $P_{dMax} = (0.25V_R^2/ESR)/M$
13. Storage temperature: Storage in discharge state.
14. Thermal resistance: $R_{Th} = \Delta T/P$, where P = ESR * I^2
15. Thermal capacitance is indicated for the whole product.
16. DC life at high temperature: Hold the capacitor charged at rated voltage at 65°C for 1500h. The capacitance shall be >80% of the rated value, the ESR shall be <200% of the rated value.
17. DC life at RT: Hold the capacitor charged at rated voltage at room temperature RT, the capacitance shall be >80% of the rated value, the ESR shall be <200% of the rated value.
18. Cycle life: Charge and discharged the capacitor in the range between V_R and $V_R/2$. 5 seconds waiting period between charge and discharge. The constant test current is 0.075 A/F (if the calculated current >100A, then apply 100A).
19. Shelf life: Discharged and no load applied at RT.
20. The welding depth should be larger than 0.8 mm
21. Dimensions C60W-3R0 3400:



Standard markings:
- Name of manufacturer, part number, serial number
- Rated voltage and capacitance, negative and positive terminals, warning marking
- Stored energy in watt-hours

Mounting recommendations:
- Mounting without applying undue mechanical stress on the terminals
- Provide adequate spacing in between cells to secure required insulation strength
- Provide clearance around the safety vent and do not position anything above the safety vent that may be damaged in an event of vent rupture